



September 15, 2026

Gary Bowers
Sullivan BOCES
15 Sullivan Ave
Liberty, NY 12754

RE: Project: Tri-Valley CSD Lead in School
Pace Project No.: 70448614

Dear Gary Bowers:

Enclosed are the analytical results for sample(s) received by the laboratory on September 10, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Felicia Morgan-Nichols".

Felicia Morgan-Nichols
felicia.morgan-nichols@pacelabs.com
(845) 562-0890
Project Manager

Enclosures

cc:



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections:

-2-

Section 1: Cert Page	3
Section 2: Results	4
Section 3: Quality Control	5
Section 4: Qualifiers	6
Section 5: QC Cross Reference	7
Section 6: Chain of Custody	8
6.1: Chain of Custody	8

1

2

3

4

5

6



CERTIFICATIONS

Project: Tri-Valley CSD Lead in School
Pace Project No.: 70448614

Pace Analytical Services, LLC- Newburgh, NY
315 Fullerton Avenue, Newburgh, NY 12550
New Jersey Certification #: NY015

New York Certification #: 10142 Primary Accrediting Body
Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Tri-Valley CSD Lead in School
Pace Project No.: 70448614

Sample: 2627 - 116-01 SS-25		Lab ID: 70448614001		Collected: 09/10/26 06:02	Received: 09/10/26 09:51	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	<1.0	ug/L	1.0	1		09/11/26 19:20	7439-92-1	
Sample: 2627 - 116-02 SS25A		Lab ID: 70448614002		Collected: 09/10/26 06:02	Received: 09/10/26 09:51	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	<1.0	ug/L	1.0	1		09/11/26 19:27	7439-92-1	
Sample: 2627 - 116-03 SS-40		Lab ID: 70448614003		Collected: 09/10/26 06:06	Received: 09/10/26 09:51	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	4.9	ug/L	1.0	1		09/11/26 19:34	7439-92-1	
Sample: 2627 - 116-04 SS-41		Lab ID: 70448614004		Collected: 09/10/26 06:10	Received: 09/10/26 09:51	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	14.1	ug/L	1.0	1		09/11/26 19:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/15/2026 04:30 PM



QUALITY CONTROL DATA

Project: Tri-Valley CSD Lead in School

Pace Project No.: 70448614

QC Batch 473796

QC Batch Method: EPA 200.8, Rev. 5.4

Analysis Method: EPA 200.8, Rev. 5.4

Analysis Description: NB 200.8 ICPMS DW No Prep

Laboratory: Pace Analytical Services - Newburgh

Associated Lab Samples: 70448614001, 70448614002, 70448614003, 70448614004

METHOD BLANK: 2553849

Matrix: Water

Associated Lab Samples: 70448614001, 70448614002, 70448614003, 70448614004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	09/11/26 16:27	

LABORATORY CONTROL SAMPLE: 2553850

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	46.4	93	85-115	

MATRIX SPIKE SAMPLE: 2553852

Parameter	Units	70448853003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	49.4	98	70-130	

MATRIX SPIKE SAMPLE: 2553854

Parameter	Units	70448598004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	48.1	96	70-130	

SAMPLE DUPLICATE: 2553851

Parameter	Units	70448853003 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	ND	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/15/2026 04:30 PM



QUALIFIERS

Project: Tri-Valley CSD Lead in School
Pace Project No.: 70448614

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/15/2026 04:30 PM



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Tri-Valley CSD Lead in School
Pace Project No.: 70448614

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70448614001	2627 - 116-01 SS-25	EPA 200.8, Rev. 5.4	473796		
70448614002	2627 - 116-02 SS25A	EPA 200.8, Rev. 5.4	473796		
70448614003	2627 - 116-03 SS-40	EPA 200.8, Rev. 5.4	473796		
70448614004	2627 - 116-04 SS-41	EPA 200.8, Rev. 5.4	473796		



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

70448614

70448614

for sample.

Lead in Drinking Water - Lead Only

WO#: 70448614

PM: FMN Due Date: 09/24/26
CLIENT: NB-SC.BOCES

Client Name: _____ Project # _____
Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other
Tracking #: _____

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals intact: ☐ Yes ☐ No Temperature ☒ Present: ☐ Yes ☐ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☐ None ☐ Other ☒ Blue ☐ None
Thermometer Used: IRG4 Correction Factor: 0.0 @ 20C
Cooler Temperature (°C): 22.3 Cooler Temperature Corrected (°C): _____ Date/Time 5035A kits placed in freezer _____
Temp should be above freezing to 6.0°C

Date and Initials of person examining contents:

	COMMENTS:
Chain of Custody Present:	☒ Yes ☐ No
Chain of Custody Filled Out:	☒ Yes ☐ No
Chain of Custody Relinquished:	☒ Yes ☐ No
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A
Samples Arrived within Hold Time:	☒ Yes ☐ No
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No
Rush Turn Around Time Requested:	☒ Yes ☐ No
Sufficient Volume: (Triple volume provided for MS/MSD)	☒ Yes ☐ No
Correct Containers Used:	☒ Yes ☐ No
-Pace Containers Used:	☒ Yes ☐ No
Containers Intact:	☒ Yes ☐ No
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A
Sample Labels match COC:	☒ Yes ☐ No
-Includes date/time/ID/Analysis Matrix:	SL (WT) OIL OTHER

Date and Initials of person checking preservation:

13. All containers needing preservation have been pH paper Lot #	☐ Yes ☐ No ☒ N/A	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, ☐ Yes ☐ No NAOH>12 Cyanide)	☒ N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		
Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination: ☐ Yes ☐ No	☒ N/A	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
KI starch test strips Lot #		
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sulf ☐ Yes ☐ No	☒ N/A	Positive for Res. Chlorine? ☐ Y ☐ N
Lead Acetate Strips Lot #		Positive for Sulfide? ☐ Y ☐ N
Headspace in ALK Bottle (>6mm): ☐ Yes ☐ No	☒ N/A	
Headspace in Odor Bottle (>6mm): ☐ Yes ☐ No	☒ N/A	
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No	☒ N/A	
Trip Blank Present:	☐ Yes ☐ No	
Trip Blank Custody Seals Present	☐ Yes ☐ No	

Client Notification/ Resolution:

Person Contacted: _____

Comments/ Resolution: _____

Field Data Required? ☐ Y ☐ N
Date/Time: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.